Trop. Sci. 1989, **29**, 307–308

Author Index

ADAMS, J.E. The highly esteemed redfish: consumer preferences for fish in the Eastern Caribbean based on a fish opinion survey, 141
ADEBAWO, O.O. *see* OGUNTUNDE, A.O.
AHMED, H. *see* QASIM CHAUDRY, M.
AINA, M.A. *see* OGBADU, G.H.
ANWAR, M. *see* QASIM CHAUDRY, M.
ASTHANA, A., DIXIT, K., TRIPATHI, N.N. and DIXIT, S. Efficacy of ocium oil against fungi attacking chilli seed during storage, 15

BADEJO, S.O.O. Influences of pre-treatment temperature and additive concentration on the properties of cement-bonded particleboard from plantation-grown tropical hardwoods, 285
BARLOW, P. *see* CHULU, C.L.
BHATIA, A.K. *see* KATIYAR, S.K.
BHATT, B.M. *see* OWOUR, P.O.
BON, J. *see* GRAM, L.
BOOTH, R.H. and RHOADES, R.E. An attempt to improve the storage of consumer potatoes on small farms Peru, 1
BRAR, J.S. *see* RATAUL, H.S.

CALDERON, M., DONAHAYE, S., NAVARRO, S. and DAVIS, R. Wheat storage in a semi-desert region, 91
CARLAW, P.M. *see* PALMER, E.R.
CARMI, Y. and PASTER, N. Insects in local wheat samples from the 1987 crop in Israel, 47
CHALUTZ, E., LOMANIEC, E. and WAKS, J. Physiological and pathological observations on the post-harvest behaviour of kumquat fruit, 199
CHULU, C.L., BARLOW, P. and HOLE, M. Cloudiness of Zambian sunflower oil: effect of storage temperature and wax levels, 33
CLARKE, P.A. and QUASEM, M.A. Preservation of the quality characteristics of paddy samples, 127
COTTY, P.J. and LEE, L.S. Aflatoxin contamination of cottonseed: comparison of pink bollworm damaged and undamaged bolls, 273

DIXIT, K. *see* ASTHANA, A.
DIXIT, S.N. *see* ASTHANA, A.
DIXIT, S.N. *see* KISHORE, N.
DONAHAYE, E. and NAVARRO, S. Sensitivity of two dried fruit pests to methyl bromide alone, and in combination with carbon dioxide or under reduced pressure, 9
DUBEY, N.K. *see* KISHORE, N.

EASMON, J.P. *see* OGBADU, G.H.
EFIUVWEVWERE, B.J.O. Individual sugars and total soluble solids content of ripe tomatoes grown in Northern and Southern Nigeria, 255
EMEBIRI, L.C. *see* NWUFO, M.I.
ESSERS, A.J.A. and NOUT, M.J.R. The safety of dark, moulded cassava flour compared with white—a comparison of traditionally dried cassava pieces in North East Mozambique, 261
ESSERS, A.J.A. Reducing toxicity by simple changes in the traditional preparation of cassava leaves—a small trial in Mozambique, 269

FIRMIN, A. A simple technique for the production of dehydrated attiéké in rural areas in Côte d'Ivoire, 39

GRAM, L., OUNDO, J.O. and BON, J. Storage life of Nile perch (*Lates niloticus*) in relation to temperature and initial bacterial load, 221

HARRIS, R.V. *see* SWETMAN, A.A.
HOLE, M. *see* CHULU, C.L.
HUSSAINI, S.H. *see* RAMESH BABU, T.

KATIYAR, S.K., KUMAR, N. and BHATIA, A.K. A chemical study of *Pandanus lerum* fruit grown in the Andaman and Nicobar Islands, 137
KISHORE, N., DIXIT, S.N. and DUBEY, N.K. Fungitoxic studies with *Chenopodium ambrosioides* for the control of damping-off in *Phaseolus aureus* (Moong) caused by *Rhizoctonia solani*, 171
KUMAR, N. *see* KATIYAR, S.K.

LANGERAK, D.S. *see* NYAMBATI, M.G.
LEE, L.S. *see* COTTY, P.J.
LOMANIEC, E. *see* CHALUTZ, E.

MCFARLANE, J.A. Factors affecting insect pest management on wheat grain stored in tropical uplands, 51
MCFARLANE, J.A. Preliminary experiments on the use of solar cabinets for the thermal disinfestation of maize cobs and some observations on heat tolerance in *Prostphanus truncatus* (Horn) (Coleoptera: Bostrichidae), 75
MUNAVU, R.M. *see* OWUOR, P.O.

NAVARRO, S. *see* DONAHAYE, E.
NJERU, E.K. *see* OWUOR, P.O.

NOUT, M.J.R. *see* ESSERS, A.J.A.
NWAIWU, M.Y. *see* NWUFO, M.I.
NWUFO, M.I., EMEBIRI, L.C. and NWAIWU, M.Y. Post-harvest rot diseases of fruits of the African pear (*Dacryodis edulis*) in South Eastern Nigeria, 247
NYAMBATI, M.G. and LANGERAK, D.S. The effect of gamma radiation and pectolytic enzymes on the chemical quality, organoleptic quality and yield of juice from lime pulp fruit, 119

OGBADU, G.H., AINA, M.A. and OLAREWAJU, J.D. Total capsaicinoid content of some capsicum species grown in Northern Nigeria, 151
OGBADU, G.H. and EASMON, J.P. Influence of inorganic and organic fertilizers on the chemical composition of three eggplant cultivars, 237
OGUNTUNDE, A.O. and ADEBAWO, O.O. Water-uptake pattern during traditional soaking of cereal grains, 189
OLAREWAJU, J.D. *see* OGBADU, G.H.
OUNDO, J.O. *see* GRAM, L.
OWUOR, P.O., WANYÏEŘA, J.O., NJERU, E.K., MUNAVU, R.M. and BHATT, B.M. Comparison of chemical composition and quality changes due to different withering methods in black tea manufacture, 207

PALMER, E.R. and CARLAW, P.M. Utilization of straw for animal feed and papermaking, 281
PASTER, N. *see* CARMI, Y.

QASIM CHAUDRY, M., AHMED, H. and ANWAR, M. Development of an air-tight polyethylene enclosure for integrated pest management of grains, stored at farm level in Pakistan, 177
QUASEM, M.A. *see* CLARKE, P.A.

RAMESH BABU, T., SUDHEER REDDY, V. and HUSSAINI, S.H. Effect of edible and non-edible oils on the development of the pulse beetle (*Callosobruchus chinensis* L.) and on yield of mungbean (*Vigna radiata* (L.) Wilczek), 215
RATAUL, H.S. and BRAR, J.S. Status of tomato leaf curl virus research in India, 111
RHOADES, R.E. *see* BOOTH, R.H.

SEFA-DEDEH, S. Effects of particle size on some physicochemical characteristics of 'agbelima' (cassava dough) and corn dough, 21
SUDHEER REDDY, V. *see* RAMESH BABU, T.
SWETMAN, A.A. and HARRIS, R.V. Small-scale sunflower seed processing in rural Zambia, 157

TRIPATHI, N.N. *see* ASTHANA, A.

WAKS, J. *see* CHALUTZ, E.
WANYÏEŘA, J.O. *see* OWUOR, P.O.

Trop. Sci. 1989, **29**, 309–310

Subject Index

Aflatoxins
  in cottonseed, 273
  in stored cassava flour, 261
  in stored cassava pieces, 261
African pear, 247
Agbelima, 21
Andaman and Nicobar Islands, 137
Animal feedstuffs, from two-stage pulping of straw, 279
Aspergillus niger, 247
Attiéké
  dehydration, 39
  sun-drying, 39
  shelf-life, 39

Bangladesh, 127
Botryodiplodia theobromae, 247

Callosobruchus chinensis, 215
Camellia sinensis, 207
Capsaicinoids, in *Capsicum* spp., 151
Capsicum annuum, 15
Capsicum spp., 151
Caribbean fisheries, 141
Carpophilus, 9
Cassava dough particle size, effects on viscosity, 21
Cassava fermentation, effect on gelatinization, 21
Cassava flour, effects of processing on toxicity, 261
Cassava flour, effects of processing on fungi, 261
Cassava leaf detoxification, 269
Cassava root, 39
Cassava, 21, 261, 269
Cement-bonded particleboards
  effects of hot water treatment, 285
  effects of additives, 285
  from tropical hardwoods, 285
Cereals, water-uptake pattern, 189
Chemical composition
  of *Pandanus lerum* seeds, 137
  of *Pandanus lerum* fruit, 137
  of eggplant, 237
Chenopodium ambrosioides, 171
Chilli, fungal damage, 15
Consumer fish preferences, from Caribbean fisheries, 141
Corn dough particle size, effects on viscosity, 21
Corn fermentation, effect on gelatinization, 21
Corn, 21
Cottonseed, 273

Dacryodis edulis, 247
Damping off, in *Phaseolus aureus*, 171
Dates, 9
Drying of paddy, 127

Eggplant, 237
Erwinia spp., 247
Essential oil, use as fungicide, 15

Farm-level storage of grain, 177
Fatty acids
  in *Pandanus lerum* seeds, 137
  in *Pandanus lerum* fruits, 137
Fertilizers, effects on eggplant chemical composition, 237
Fortunella margarita, 199
Fumigation of farm-level stored grain, 177
Fungicides, use on chilli seeds, 15
Fungitoxicity, of *Chenopodium ambrosioides*, 171

Gamma irradiation, effect on lime juice yield, 119
Gari, 39
Germination of mungbean, 215
Gmelina, 285

India, 111
Insects
  in wheat crop samples, 47
  in stored wheat grain, 51
Israel, 47

Kenya, 207, 51
Kumquat, 199

Lates niloticus, 221
Leaf curl virus in tomato, 111
Lime fruit pulp, effects on juice yield, 119
Lime juice, organoleptic tests, 119
Lutjanus spp., 141

Maize, 189
  thermal disinfestation, 75
Manihot esculenta, 261, 269
Melia, 285
Millet, 189
Mites, in stored wheat grain, 51
Mozambique, 261, 269
Mungbean, 215

Nigeria, 255
Nile perch, 221
Nitidulidae, 9

Ocimum adscendens, 15
Organoleptic quality of lime juice, 119

Paddy, quality assessment, 127
Pakistan, 177
Pandanus lerum, 137
Papermaking, from two-stage pulping of straw, 279
Pectinophora gossypiella, 273
Pectolytic enzymes, effect on lime juice yield, 119
Peru, 1
Pest management, in stored wheat grain, 51
Phaseolus aureus, 171
Phosphine, for stored grain fumigation, 177
Phytotoxicity, of *Chenopodium ambrosioides*, 171
Pink bollworm, 273
Plant oils
  as germination protectants, 215
  for pulse beetle control, 215
  Polyethylene enclosure, for fumigation of stored grain, 177
Post-harvest bookshelf, 297
Post-harvest loss reduction, of potatoes, 1
Post-harvest rots
  in African pear, 247
  of Kumquat, 199
Potatoes, storage, 1
Processing
  of sunflower seed, 157
  effects on cassava flour, 261
Prostephanus truncatus, heat tolerance, 75
Psychrotropic bacteria, role in tropical fish spoilage, 221
Pulse beetle, 215

Quality assessment, of paddy, 127

Redfish, 141
Rhizoctonia solani, 171
Rhizopus stolonifer, 247
Rice, 127

Semi-desert region, wheat storage, 91
Snappers, 141
Solar cabinets, for thermal disinfestation of maize, 75
Sorghum, 189
Sprout inhibitor, potatoes, 1
Storage
  of cassava flour, 261
  of cassava pieces, 261
  of potatoes, 1
  of wheat in semi-desert region, 91
Storage life, of Nile perch, 221
Storage temperature
  for kumquat, 199
  effect on sunflower oil, 33
Stored grain, polyethylene enclosure, 177
Straw, 279
Sugars, in tomatoes, 255
Sunflower oil
  cloudiness, 33
  wax content, 33
Sunflower seed, processing, 157

Tea, 207
Teak, 285
Tomato, 111, 255
Total soluble solids, in tomatoes, 255
Tropical fish spoilage, caused by psychrotropic bacteria, 221
Tropical hardwoods, 285

Vacuum fumigation, using methyl bromide, 9
Vector-virus relationships, in tomatoes, 111
Vigna radiata, 215

Water-uptake pattern of cereals, 189
Wheat, 47
  farm storage, 51
  pest management, 51
  storage, 91
Withering methods
  effects on tea chemical composition, 207
  effects on tea quality, 207

Zambia, 33, 157